



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

<div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block;"> <h3 style="margin: 0;">5.OA.1</h3> </div>	<p>Use parentheses in numerical expressions, and evaluate expressions with this symbol. Formal use of algebraic order of operations is not necessary.</p>	<p>Common Misconceptions Students may believe the problems should be solved left to right regardless of symbols such as parentheses. Allow students to solve problems to see that answers vary if you ignore the parentheses. Discuss what parentheses represent and why we need to complete those calculations first. What would happen if everyone solved problems in their own order?</p>	<p>Academic Vocabulary/Language</p> <ul style="list-style-type: none"> ▪ numerical expression ▪ parentheses <p>Tier 2</p> <ul style="list-style-type: none"> ▪ evaluate
<p style="text-align: center;">Essential Understanding</p> <ul style="list-style-type: none"> • Calculations with parentheses are evaluated first within an expression. 			
<p>Learning Targets</p>	<p>I can write and explain numerical expressions. I can use and evaluate parentheses in numerical expressions.</p>		

Classroom Snapshot

Examples

$$(8 + 27) + 2$$

$$(6 \times 30) + (6 \times 7)$$

Questions

Evaluate each expression below. Are they equivalent? Justify.

Expression One: $(5 \times 2) + 3$

Expression Two: $5 \times (2 + 3)$

Explain how the presence of parenthesis effect a mathematical expression.

Adapted from Ohio Mathematics Model Curriculum 2018 Grade 5 and Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

5.OA.1 should be viewed as exploratory rather than for attaining mastery; students may use parentheses, brackets, or braces, but they should not be using nested expressions. Problems should be no more complex than the expressions one finds in an application of the associative or distributive property, e.g., $(8 + 27) + 2$ or $(6 \times 30) + (6 \times 7)$. Also, in Grade 5, students learn to write simple expressions from a contextual situation. In addition, they create contextual situations from given numerical expressions without evaluating them. Note: the numbers in expressions need not always be whole numbers. Students in Grade 6 will use the conventions for order of operations to interpret as well as evaluate expressions.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015 (Adjusted to reflect standards revisions.)

Connections Across Standards

Apply and extend previous understandings of multiplication and division to multiply and divide fractions (5.NF.5).

4.OA.3 (Prior Grade Standard)

Solve multistep word problems posed with whole numbers and having whole-number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.

6.EE.7 (Future Grade Standard)

Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all non-negative rational numbers.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.OA.2

Write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. *For example, express the calculation “add 8 and 7, then multiply by 2” as $2 \times (8 + 7)$. Recognize that $3 \times (18,932 + 921)$ is three times as large as $18,932 + 921$, without having to calculate the indicated sum or product.*

Essential Understandings

- Expressions can be written using words or symbols.
- It is acceptable to change the order of an expression. For example, “add seven and six, then multiply by two” mathematically would get the same answer as $(6 + 7) \times 2$ or $2 \times (6 + 7)$.

Common Misconceptions

Students may believe the problems should be solved left to right regardless of symbols such as parentheses. Allow students to solve problems to see that answers vary if you ignore the parentheses. Discuss what parentheses represent and why we need to complete those calculations first. What would happen if everyone solved problems in their own order?

Academic Vocabulary/

Language

- braces
- numerical expression
- parentheses

Tier 2

- evaluate
- record

Learning Targets

- I can write and explain numerical expressions.
- I can change a simple word expression into mathematical expression.
- I can explain the relationship between two number expressions without calculating the answers.

Classroom Snapshot

Examples

“Twice the sum of 8 and 7” can be written as $2 \times (8+7)$.

Explain why $3 \times (18932 + 921)$ is 3 times as large as $(18932 + 921)$ without calculating the answers.

In Grade 5, students learn to write simple expressions from a contextual situation. In addition, they create contextual situations from given numerical expressions without evaluating them. Note: the numbers in expressions need not always be whole numbers. Students in Grade 6 will use the conventions for order of operations to interpret as well as evaluate expressions.

Adapted from Darke County Schools and Ohio Mathematics Model Curriculum 2018 Grade 5

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Have students write numerical expressions in words without calculating the value. This is the foundation for writing algebraic expressions. Then, have students write numerical expressions from phrases without calculating them.

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Apply and extend previous understandings of multiplication and division to multiply and divide fractions (5.NF.5).

4.OA.5 (Prior Grade Standard)

Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. *For example, given the rule “Add 3” and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers. Explain informally why the numbers will continue to alternate in this way.*

6.EE.7 (Future Grade Standard)

Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all non-negative rational numbers.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.OA.3

Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. *For example, given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so.*

Essential Understandings

- A relationship can exist between two numerical patterns generated from two given rules.
- Ordered pairs generated from given rules can be graphed on a coordinate plane

Common Misconceptions

Students reverse the points when plotting them on a coordinate plane. They count up first on the y -axis and then count over on the x -axis. The location of every point in the plane has a specific place. Have students plot points where the numbers are reversed such as (4, 5) and (5, 4). Begin with students providing a verbal description of how to plot each point. Then, have them follow the verbal description and plot each point.

Academic Vocabulary/ Language

- numerical patterns
- rules
- ordered pairs
- coordinate plane
- sequence
- term

Tier 2

- generate
- identify

Learning Targets

- I can form ordered pairs of numbers from numerical patterns and graph these on a graph (coordinate plane).
- I can generate two numerical patterns using two given rules.
- I can form ordered pairs consisting of corresponding terms from the 2 patterns.
- I can graph the ordered pairs on a coordinate plane.
- I can identify relationships between the numbers on the graph.

Classroom Snapshot

Examples

Generate numbers from the following rules:

Rule 1: Start with 0 and add 3

Rule 2: Start with 0 and add 6

What is the rule given a number in the “first” column will create the matching number in the “second” column


First	Second
0	0
2	6
4	12
6	18
8	24

Questions

Create a table of numbers where the first column starts with 0 and adds 2 and the second column starts with 0 and adds 5.

Graph the pairs of numbers below on a coordinate graph.

(0,0); (3,6); (6,12); (9,18)



Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Given two rules with an apparent relationship, students should be able to identify the relationship between the resulting sequences of the terms in one sequence to the corresponding terms in the other sequence. For example, starting with 0, multiply by 4 and starting with 0, multiply by 8 and generate each sequence of numbers (0, 4, 8, 12, 16, ...) and (0, 8, 16, 24, 32,...). Students should see that the terms in the second sequence are double the terms in the first sequence, or that the terms in the first sequence are half the terms in the second sequence.

Have students form ordered pairs and graph them on a coordinate plane. Patterns can be also discerned in graphs.

Graphing ordered pairs on a coordinate plane is introduced to students in the Geometry domain where students solve real-world and mathematical problems. For the purpose of this cluster, only use the first quadrant of the coordinate plane, which contains positive numbers only. Provide coordinate grids for the students, but also have them make coordinate grids. In Grade 6, students will position pairs of integers on a coordinate plane.

The graph of both sequences of numbers is a visual representation that will show the relationship between the two sequences of numbers.

Encourage students to represent the sequences in T-charts so that they can see a connection between the graph and the sequences.

0	0
1	4
2	8
3	12
4	16

0	0
1	8
2	16
3	24
4	32

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Graph points on the coordinate plane to solve real-world and mathematical problems (5.G.1-2).

4.OA.3 (Prior Grade Standard)

Solve multistep word problems posed with whole numbers and having whole-number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.

6.EE.7 (Future Grade Standard)

Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all non-negative rational numbers.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NBT.1

Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and $\frac{1}{10}$ of what it represents in the place to its left.

Common Misconceptions

A misconception that is directly related to comparing whole numbers is the idea that the longer the number the greater the number. With whole numbers, a 5-digit number is always greater than a 1-, 2-, 3-, or 4-digit number. However, with decimals a number with one decimal place may be greater than a number with two or three decimal places. For example, 0.5 is greater than 0.12, 0.009 or 0.499. One method for comparing decimals is to make all numbers have the same number of digits to the right of the decimal point by adding zeros to the number, such as 0.500, 0.120, 0.009 and 0.499. A second method is to use a place-value chart to place the numerals for comparison.

**Academic Vocabulary/
Language**

- place value
- period
- decimal
- decimal point
- tenths
- hundredths
- thousandths
- place value chart

Tier 2

- recognize
- represents

Essential Understanding

- In the base-ten system, the value of each place is 10 times the value of the place to the immediate right and $\frac{1}{10}$ of the value to its immediate left.

Learning Targets

I can look at a multi-digit number and determine that the digit to the left is 10 times greater than a given digit.
I can determine that in a multi-digit number, a digit to the right is $\frac{1}{10}$ of the given digit.

Classroom Snapshot

Example

In a number such as 555, the “5” in the hundreds column has a value of 10 times greater than the “5” in the tens column.

Question

In the number **5**52, how many times larger is the value of the red 5 than the black 5?

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Money is a good medium to compare decimals. Present contextual situations that require the comparison of the cost of two items to determine the lower or higher priced item. Students should also be able to identify how many pennies, dimes, dollars and ten dollars, etc., are in a given value. Help students make connections between the number of each type of coin and the value of each coin, and the expanded form of the number. Build on the understanding that it always takes ten of the number to the right to make the number to the left.

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Solve real-world problems by adding, subtracting, multiplying, and dividing decimals using concrete models or drawings (5.NBT.7).

4.NBT.2 (Prior Grade Standard)

Read and write multi-digit whole numbers using standard form, word form, and expanded form ^G. Compare two multi-digit numbers based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons. Grade 4 expectations in this domain are limited to whole numbers less than or equal to 1,000,000.

6.NS.6 (Future Grade Standard)

Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

<div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block; margin-bottom: 10px;"> 5.NBT.2 </div> <p>Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of 10.</p>		<p>Common Misconceptions A common misconception that students have when trying to extend their understanding of whole number place value to decimal place value is that as you move to the left of the decimal point, the number increases in value. Reinforcing the concept of powers of ten is essential for addressing this issue.</p>	<p>Academic Vocabulary/ Language</p> <ul style="list-style-type: none"> ▪ exponent ▪ base ▪ power ▪ squared ▪ cubed <p>Tier 2</p> <ul style="list-style-type: none"> ▪ explain ▪ denote
<p style="text-align: center;">Essential Understanding</p> <ul style="list-style-type: none"> • There are patterns in the number of zeros when multiplying or dividing a number by a power of ten. 			
<p>Learning Targets</p>	<p>I can explain place value in our number system and how powers of 10 are used in multiplication, division, and decimals. I can explain the pattern that occurs when multiplying by a power of 10. I can explain the pattern that occurs when dividing by a power of 10.</p>		

Classroom Snapshot

Examples

1000×23.4 is 23,400 *OR* $10^3 \times 23.4$ is 23,400

$234 \div 100$ is 2.34 *OR* $234 \div 10^2$ is 2.34

Questions

Compute the value of 1000×23.4

Explain how you might find the answer to $234 \div 100$ without actually computing the division problem. (i.e explain a shortcut to find the answer)

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

In Grade 4, students explored the concept that a digit in one place represents ten times what it represents in the place to its right. Also, they compared decimals to the hundredths and rounded whole numbers to a given place. In Grade 5, students extend their conceptual understanding of the base-ten system to the relationship that a digit in the one place represents $1/10$ of what it represents in the place to its left. Decimals move from the domain Number and Operations—Fractions to the domain Number and Operations in Base Ten. Students extend base-ten relationships as they explain patterns in the number of zeros when multiplying by powers of 10 and in the placement of the decimal point when a decimal is multiplied or divided by a power of 10.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015 (Adjusted to reflect standards revisions.)

Connections Across Standards

Solve real-world problems by adding, subtracting, multiplying, and dividing decimals using concrete models or drawings (5.NBT.7).

4.NBT.5 (Prior Grade Standard)

Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

6.NS.3 (Future Grade Standard)

Fluently add, subtract, multiply and divide multi-digit decimals using the standard algorithm for each operation.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NBT.3

Read, write, and compare decimals to thousandths.

- a. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form ^G, e.g., $347.392 = 3 \times 100 + 4 \times 10 + 7 \times 1 + 3 \times (1/10) + 9 \times (1/100) + 2 \times (1/1000)$.
- b. Compare two decimals to thousandths based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons.

Essential Understandings

- Each period of three digits separated by commas is read as hundreds, tens, and ones, followed (when appropriate) by the name of the period, e.g., 123,456 is read as one hundred twenty-three thousand, four hundred fifty-six.
- In a decimal number, digits to the right of the decimal point are named by the appropriate unit: tenths, hundredths, thousandths.
- In a decimal number, the digits to the right of the decimal point are read followed by the name of the appropriate unit.
- When reading a decimal number, the decimal point is read as and.
- Decimals to thousandths can be expressed in standard form, word form, and expanded form.
- Two decimals to thousandths can be compared using the symbols $>$, $=$, and $<$.

Common Misconceptions

A misconception that is directly related to comparing whole numbers is the idea that the longer the number the greater the number. With whole numbers, a 5-digit number is always greater than a 1-, 2-, 3-, or 4-digit number. However, with decimals a number with one decimal place may be greater than a number with two or three decimal places. For example, 0.5 is greater than 0.12, 0.009 or 0.499. One method for comparing decimals is to make all numbers have the same number of digits to the right of the decimal point by adding zeros to the number, such as 0.500, 0.120, 0.009 and 0.499. A second method is to use a place-value chart to place the numerals for comparison.

Academic Vocabulary/ Language

- greater than
- less than
- equal to
- comparison
- $<$, $>$, $=$
- expanded form

Tier 2

- read
- write
- compare

Learning Targets

- I can correctly read decimal numbers to the thousandths place.
- I can write decimals to the thousandths using expanded form.
- I can write decimals to the thousandths using base ten numerals.
- I can write decimals to the thousandths using number names.

I can compare decimals based on the value of the digits and record the answer using $<$, $>$, and $=$ symbols.

Classroom Snapshot

Examples

12.345 is read “twelve and three hundred forty five thousandths.

$$12.345 = 10 + 2 + .3 + .04 + .005$$

$$12.345 = 1 \times 10 + 2 \times 1 + 3 \times (1/10) + 4 \times (1/100) + 5 \times (1/1000)$$

$38.279 < 38.415$ because the 4 in the tenths column gives the second number a higher value.

Questions

Write the number twelve and three hundred fifty four thousandths using base ten numerals.

Write the number 5.34 in expanded form.

Using the different place value information, explain why 2.09 is smaller than 2.1.

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Fifth graders are expected to read and write decimals to thousandths using base-ten numerals, number names, and expanded form. In addition students compare two decimals to the thousandths place using the symbols $>$, $=$, and $<$. In addition, students round decimals to any given place value, millions through hundredths. In future grades, they will extend the base-ten system to include negative numbers and scientific notation.

Number cards, number cubes, spinners and other manipulatives can be used to generate decimal numbers. For example, have students roll three number cubes, then create the largest and smallest number to the thousandths place. Ask students to represent the number with numerals and words.

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015 (Adjusted to reflect standards revisions.)

Connections Across Standards

Solve real-world problems by adding, subtracting, multiplying, and dividing decimals using concrete models or drawings (5.NBT.7).

4.NBT.2 (Prior Grade Standard)

Read and write multi-digit whole numbers using standard form, word form, and expanded form^G. Compare two multi-digit numbers based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons. Grade 4 expectations in this domain are limited to whole numbers less than or equal to 1,000,000.

6.NS.6 (Future Grade Standard)

Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NBT.4

Use place value understanding to round decimals to any place, millions through hundredths.

Common Misconceptions

A misconception that is directly related to comparing whole numbers is the idea that the longer the number the greater the number. With whole numbers, a 5-digit number is always greater than a 1-, 2-, 3-, or 4-digit number. However, with decimals a number with one decimal place may be greater than a number with two or three decimal places. For example, 0.5 is greater than 0.12, 0.009 or 0.499. One method for comparing decimals is to make all numbers have the same number of digits to the right of the decimal point by adding zeros to the number, such as 0.500, 0.120, 0.009 and 0.499. A second method is to use a place-value chart to place the numerals for comparison.

Academic Vocabulary/ Language

- decimal
- round
- place value

Essential Understanding

- Rounding helps solve problems mentally and assess the reasonableness of an answer.


Learning Targets

I can round numbers to the millions and explain the reasoning (not just a rule).
I can round decimals to any given place value.

Classroom Snapshot

Example

Rounding 14.235 to the nearest tenth means knowing it is located between 14.2 and 14.3 on the number line and it's closer to 14.2.



Question

What two numbers is 3.2 between?

- A. 3.20 and 3.21
- B. 3.1 and 3.2
- C. 3.1 and 3.3
- D. 3.2 and 3.3
- E. 3.0 and 3.1

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Fifth grade students round decimals to any given place value, millions through hundredths. Instructional strategies may include:

- Explore rounding by using the location of a given number on a model, e.g., number line, number chart, etc.
- Round numbers based on place-value understanding.
- Explain reasoning when rounding.
- Develop and generalize rounding rules for decimals.
- Identify or create numbers that will round to a chosen number, e.g., Create a number that will round to 1.05.
- Explore the purposes of rounding.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015 (Adjusted to reflect standards revisions.)

Connections Across Standards

Solve real-world problems by adding, subtracting, multiplying, and dividing decimals using concrete models or drawings (5.NBT.7).

4.NBT.3 (Prior Grade Standard)

Use place value understanding to round multi-digit whole numbers to any place through 1,000,000

6.NS.7 (Future Grade Standard)

Understand ordering and absolute value of rational numbers.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

<div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block;"> <h3>5.NBT.5</h3> </div>	<p>Fluently ^G multiply multi-digit whole numbers using a standard algorithm ^G.</p>	<p>Common Misconceptions</p> <p>When students only see each factor as a single digit numeral, they will not understand the magnitude of the numbers they are multiplying. Using the partial product method for multiplication often helps students see the actual numbers they are multiplying. Use grid paper to show the partial products and then how you add to get the final product.</p>	<p>Academic Vocabulary/ Language</p> <ul style="list-style-type: none"> ▪ distributive property ▪ product ▪ rectangular arrays ▪ compatible numbers <p>Tier 2</p> <ul style="list-style-type: none"> ▪ fluently
<p style="text-align: center;">Essential Understandings</p> <ul style="list-style-type: none"> • There are different algorithms that can be used to multiply. • Fluency is being efficient, accurate, and flexible with strategies. 			
<p>Learning Targets</p>	<p>I can fluently multiply multi-digit whole numbers.</p>		

Classroom Snapshot

Example

$$\begin{array}{r} 23 \\ \times 45 \\ \hline 115 \\ 920 \\ \hline 1035 \end{array}$$

Question

$$23 \times 45.$$

Additional Instructional Focus Options: • Estimate the solution of a multiplication situation. • Connect a standard algorithm to an efficient strategy. • Explain and justify the reasoning used in a standard algorithm. • Analyze other students' use of a standard algorithm, and explain any errors. • Use an efficient standard algorithm accurately and flexibly.

Adapted from Darke County Schools and Ohio Mathematics Model Curriculum 2018 Grade 5

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Connections between the algorithm for multiplying multi-digit whole numbers and strategies such as partial products or lattice multiplication are necessary for students' understanding.

You can multiply by listing all the partial products. For example:

$$\begin{array}{r} 234 \\ \times 8 \\ \hline 32 \\ 240 \\ 1600 \\ \hline 1872 \end{array}$$

Multiply the ones (8×4 ones = 32 ones)
Multiply the tens (8×3 tens = 24 tens or 240)
Multiply the hundreds (8×2 hundreds = 16 hundreds or 1600)
Add the partial products

The multiplication can also be done without listing the partial products by multiplying the value of each digit from one factor by the value of each digit from the other factor. Understanding of place value is vital in using the standard algorithm.

In using the standard algorithm for multiplication, when multiplying the ones, 32 ones is 3 tens and 2 ones. The 2 is written in the ones place. When multiplying the tens, the 24 tens is 2 hundreds and 4 tens. But, the 3 tens from the 32 ones need to be added to these 4 tens, for 7 tens. Multiplying the hundreds, the 16 hundreds is 1 thousand and 6 hundreds. But, the 2 hundreds from the 24 tens need to be added to these 6 hundreds, for 8 hundreds.

$$\begin{array}{r} 234 \\ \times 8 \\ \hline 1872 \end{array}$$

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Understand why multiplying by a power of 10 shifts the digits of a whole number or decimal that many places to the left (5.NBT.2).
Apply and extend previous understandings of multiplication and division to multiply and divide fractions (5.NF.1-7).

4.NBT.5 (Prior Grade Standard)

Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

6.NS.3 (Future Grade Standard)

Fluently add, subtract, multiply and divide multi-digit decimals using a standard algorithm for each operation.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

<div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block;"> <h3 style="margin: 0;">5.NBT.6</h3> </div>	<p>Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>	<p style="text-align: center;">Common Misconceptions</p> <p>When students use the traditional algorithm, they often treat each digit in the dividend separately and do not look at the value of the entire number. Encourage the students to estimate prior to dividing, this helps them see what a reasonable quotient will be.</p>	<p style="text-align: center;">Academic Vocabulary/ Language</p> <ul style="list-style-type: none"> ▪ quotients ▪ dividends ▪ divisor <p style="text-align: center;">Tier 2</p> <ul style="list-style-type: none"> ▪ illustrate ▪ explain ▪ calculation
<p style="text-align: center;">Essential Understandings</p> <ul style="list-style-type: none"> ● There is a relationship between multiplication and division. ● Equations, rectangular arrays, and/or area models can be used to illustrate and explain division. ● Remainders can be interpreted symbolically and in context. ● Real-world mathematical situations can be represented using concrete models or drawings. ● Patterns and structures can be generalized when multiplying and dividing whole numbers. 			
<p>Learning Targets</p>	<p>I can divide up to a 4 digit dividend by a 2 digit divisor using a variety of strategies. I can illustrate and explain division using equations, rectangular arrays or area models.</p>		

Classroom Snapshot


Example

Explain how to divide 315 by 15 using two different strategies.

Questions

John says that to divide 315 by 15 he first divides 15 into the last two digits of 315 (15) which is one and then since 15 doesn't divide into 3 you put a zero so the answer is 10 r 3. Explain why you agree or disagree.

$135 \div 15 = 9$ is illustrated by this area model.



Draw an area model that would illustrate $315 \div 15 = 21$

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

This standard references various strategies for division. Division problems can include remainders. Even though this standard leads more towards computation, the connection to story contexts is critical. Make sure students are exposed to problems where the divisor is the number of groups and where the divisor is the size of the groups. In fourth grade, students' experiences with division were limited to dividing by one-digit divisors. This standard extends students' prior experiences with strategies, illustrations, and explanations. When the two-digit divisor is a "familiar" number, a student might decompose the dividend using place value.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Understand why multiplying by a power of 10 shifts the digits of a whole number or decimal that many places to the left (5.NBT.2).
Apply and extend previous understandings of multiplication and division to multiply and divide fractions (5.NF.1-7).

4.NBT.6 (Prior Grade Standard)

Find whole-number quotients and remainders with up to four digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

6.NS.3 (Future Grade Standard)

Fluently add, subtract, multiply and divide multi-digit decimals using a standard algorithm for each operation.



Ohio's New Learning Standards-Clear Learning Targets

Math Grade 5

5.NBT.7

Solve real-world problems by adding, subtracting, multiplying, and dividing decimals using concrete models or drawings and strategies based on place value, properties

of operations, and/or the relationship between addition and subtraction, or multiplication and division; relate the strategy to a written method and explain the reasoning used.

a. Add and subtract decimals, including decimals with whole numbers, (whole numbers through the hundreds place and decimals through the hundredths place).

b. Multiply whole numbers by decimals (whole numbers through the hundreds place and decimals through the hundredths place).

c. Divide whole numbers by decimals and decimals by whole numbers (whole numbers through the tens place and decimals less than one through the hundredths place using numbers whose division can be readily modeled). *For example, 0.75 divided by 5, 18 divided by 0.6, or 0.9 divided by 3.*

Essential Understandings

- Patterns and structures can be generalized when multiplying and dividing decimals.
- There is a relationship between addition and subtraction.
- Real-world mathematical situations can be represented using concrete models or drawings when adding and subtracting decimals (including decimals with whole numbers through hundreds place and decimals through hundredths place).
- Real-world mathematical situations can be represented using concrete models or drawings when multiplying whole numbers by

Common Misconceptions

Students might compute the sum or difference of decimals by lining up the right-hand digits as they would whole number. For example, in computing the sum of $15.34 + 12.9$, students will write the problem in this manner:

$$\begin{array}{r} 15.34 \\ + 12.9 \\ \hline 16.63 \end{array}$$

To help students add and subtract decimals correctly, have them first estimate the sum or difference.

Providing students with a decimal-place value chart will enable them to place the digits in the proper place.

When multiplying and dividing decimals students may understand a procedure without truly understanding why it works. Focus on using models before using an algorithm.

Academic Vocabulary/ Language

- associative property of multiplication
- commutative property of multiplication
- identity property of multiplication

Tier 2

- relate
- explain
- reason


<p>decimals (whole numbers through the hundreds place and decimals through the hundredths place).</p> <ul style="list-style-type: none"> Real-world mathematical situations can be represented using concrete models or drawings when dividing whole numbers by decimals and decimals by whole numbers (whole numbers through the tens place and decimals less than one through the hundredths place using numbers whose division can be readily modeled). 		
<p>Learning Targets</p>	<p>I can perform operations with multi-digit whole numbers and with decimals to hundredths. I can compute with decimals to hundredths in a variety of ways. I can explain how my strategy works and why I used it.</p>	

Classroom Snapshot

Examples

Explain how many decimal places are in the answers to $2.4 + 5.3$ and 4×5.3 . Justify your answer.

Use the grid below to model 3×0.4 .



Questions

Show at least two ways to multiply 23×4.76 .

Explain how you would add $3 + 2.74 + 8.6$.


Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

As students developed efficient strategies to do whole number operations, they should also develop efficient strategies with decimal operations.

Students should learn to estimate decimal computations before they compute with pencil and paper. The focus on estimation should be on the meaning of the numbers and the operations, not on how many decimal places are involved. For example, to estimate the product of 32.84×4 , the estimate would be more than 120, closer to 150. Students should consider that 32.84 is closer to 30. The product of 30 and 4 is 120. Therefore, the product of 32.84×4 should be more than 120 because 32.84 is more than 32.

Use models to show decimal computation such as $1.25 + 0.40 + 0.75$



Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015 (Adjusted to reflect standards revisions.)

Connections Across Standards

Understand why multiplying by a power of 10 shifts the digits of a whole number or decimal that many places to the left (5.NBT.2).

Apply and extend previous understandings of multiplication and division to multiply and divide fractions (5.NF.1-7).

4.NBT.5 (Prior Grade Standard)

Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

6.NS.3 (Future Grade Standard)

Fluently add, subtract, multiply and divide multi-digit decimals using a standard algorithm for each operation.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NF.1

Add and subtract fractions with unlike denominators (including mixed numbers and fractions greater than 1) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. For example, use visual models and properties of operations to show $2/3 + 5/4 = 8/12 + 15/12 = 23/12$. In general, $a/b + c/d = (a/b \times d/d) + (c/d \times b/b) = (ad + bc)/bd$.

Essential Understandings

- Fractions can be added and subtracted when the wholes are the same size and the fractional parts (denominators) are the same.
- Fractions with different denominators are called unlike fractions.
- Fractions with different denominators can be added and subtracted by replacing each fraction with an equivalent fraction expressed with a like denominator.
- A fraction with a numerator larger than the denominator can be expressed as a mixed number or a fraction greater than one; both are correct representations.
- Expressing a mixed number as a fraction, e.g., $2\ 3/5 = 13/5$, may be useful when solving a fraction problem.
- Benchmark fractions may be used to estimate and to check whether answers are reasonable.
- Common denominators are needed to add and subtract fractions with unlike denominators.
- Multiples may be used to find common denominators.

Common Misconceptions

Students often mix models when adding, subtracting or comparing fractions. Students will use a circle for thirds and a rectangle for fourths when comparing fractions with thirds and fourths. Remind students that the representations need to be from the same whole models with the same shape and size.

Academic Vocabulary/ Language

- record
- equivalent
- sum
- difference
- unlike denominator
- numerator
- mixed numbers
- denominator
- unlike fractions

Tier 2

- produce

Learning Targets

I can add fractions with unlike denominators by replacing the given fraction with equivalent fractions.
I can subtract fractions with unlike denominators by replacing the given fraction with equivalent fractions.

Classroom Snapshot**Examples**

$$2/3 + 5/4 = 8/12 + 15/12 = 23/12$$

$$4/5 - 1/2 = 8/10 - 5/10 = 3/10$$

Questions

Add $2/3$ and $5/4$

Subtract $1/2$ from $4/5$

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

To add or subtract fractions with unlike denominators, students use their understanding of equivalent fractions to create fractions with the same denominators. Start with problems that require the changing of one of the fractions and progress to changing both fractions. Allow students to add and subtract fractions using different strategies such as number lines, area models, fraction bars or strips. Have students share their strategies and discuss commonalities in them.

Students need to develop the understanding that when adding or subtracting fractions, the fractions must refer to the same whole. Any models used must refer to the same whole. Students may find that a circular model might not be the best model when adding or subtracting fractions.

These models of fractions use the same size rectangle to represent the whole unit and are therefore much easier to compare fractions.



Connections Across Standards

Write and interpret numerical expressions (5.OA.1-2).

Generate a pattern given a rule (5.OA.3).

Add and subtract decimals (5.NBT.7).

Display and interpret data in graphs (5.MD.2).

4.NF.3 a,b (Prior Grade Standard)

Understand a fraction a/b with $a > 1$ as a sum of fractions $1/b$.

a. Understand addition and subtraction of fractions as joining and separating parts referring to the same whole.

b. Decompose a fraction into a sum of fractions with the same denominator in more than one way, recording each decomposition by an equation. Justify decompositions, e.g., by using a visual fraction model^G.

Examples: $3/8 = 1/8 + 1/8 + 1/8$; $3/8 = 1/8 + 2/8$; $2\ 1/8 = 1 + 1 + 1/8 = 8/8 + 8/8 + 1/8$.

6.EE.7 (Future Grade Standard)

Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all nonnegative rational numbers.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NF.2

Solve word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators, e.g., by using visual fraction models^G or equations to represent the problem. Use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers.

For example, recognize an incorrect result $2/5 + 1/2 = 3/7$, by observing that $3/7 < 1/2$.

Essential Understandings

- An equation can be used to describe a mathematical situation involving fractions.
- There is usually more than one way to describe and solve a mathematical situation involving fractions.
- Benchmark fractions may be used to estimate and to check whether answers are reasonable.

Common Misconceptions

Students often mix models when adding, subtracting or comparing fractions. Students will use a circle for thirds and a rectangle for fourths when comparing fractions with thirds and fourths. Remind students that the representations need to be from the same whole models with the same shape and size.

Academic Vocabulary/ Language

- record
- equivalent
- sum
- difference
- unlike denominator
- numerator
- mixed numbers
- denominator
- benchmark fractions
- estimate

Tier 2

- solve
- reasonableness

Learning Targets

- I can solve real world problems involving the addition and subtraction of fraction with unlike denominators.
- I can solve word problems involving addition of fractions with like/unlike denominators by using a visual fraction model.
- I can solve word problems involving subtraction of fractions with like/unlike denominators by using a visual fraction model.
- I can use benchmark fractions and general number sense to determine the reasonableness of my answer.

Classroom Snapshot

Examples

Draw a picture to solve the problem of how much pizza there would be if we combine $\frac{1}{2}$ pizza with $\frac{1}{3}$.

Explain how to use the model shown to add $\frac{5}{12}$ and $\frac{1}{4}$.



John's paper strip is $\frac{7}{8}$ " long and Adele's is $\frac{3}{4}$ " long. Who's is longer and by how much?

Adapted from Darke County Schools

Questions

What subtraction problem is shown on the fraction model below.



Explain why adding $\frac{2}{5}$ and $\frac{1}{2}$ to get $\frac{3}{7}$ does not make sense.

Is the sum of $\frac{3}{5}$ and $\frac{7}{16}$ going to be greater than or less than one?

Ohio Department of Education Model Curriculum Instructional Strategies and Resources


As with solving word problems with whole number operations, regularly present word problems involving addition or subtraction of fractions. The concept of adding or subtracting fractions with unlike denominators will develop through solving problems. Mental computations and estimation strategies should be used to determine the reasonableness of answers. Students need to prove or disprove whether an answer provided for a problem is reasonable.

Estimation is about getting useful answers, it is not about getting the right answer. It is important for students to learn which strategy to use for estimation. Students need to think about what might be a close answer.


Students need to develop the understanding that when adding or subtracting fractions, the fractions must refer to the same whole. Any models used must refer to the same whole. Students may find that a circular model might not be the best model when adding or subtracting fractions.



These models of fractions use the same size rectangle to represent the whole unit and are therefore much easier to compare fractions.



This diagram models a way to show how $3\frac{1}{6}$ and $1\frac{3}{4}$ can be expressed with a denominator of 12. Once this is accomplished, a student can complete the problem $2\frac{14}{12} - 1\frac{9}{12} - 1\frac{5}{12}$



Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

- Write and interpret numerical expressions (5.OA.1-2).
- Generate a pattern given a rule (5.OA.3).
- Add and subtract decimals (5.NBT.7).
- Display and interpret data in graphs (5.MD.2).

4.NF.3 (Prior Grade Standard)

Understand a fraction a/b with $a > 1$ as a sum of fractions $1/b$.
 a. Understand addition and subtraction of fractions as joining and separating parts referring to the same whole.

6.EE.7 (Future Grade Standard)

Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all nonnegative rational numbers.

b. Decompose a fraction into a sum of fractions with the same denominator in more than one way, recording each decomposition by an equation. Justify decompositions, e.g., by using a visual fraction model^G.
Examples: $\frac{3}{8} = \frac{1}{8} + \frac{1}{8} + \frac{1}{8}$; $\frac{3}{8} = \frac{1}{8} + \frac{2}{8}$; $2\frac{1}{8} = 1 + 1 + \frac{1}{8}$
 $\frac{1}{8} = \frac{8}{8} + \frac{8}{8} + \frac{1}{8}$.

c. Add and subtract mixed numbers with like denominators, e.g., by replacing each mixed number with an equivalent fraction, and/or by using properties of operations and the relationship between addition and subtraction.

d. Solve word problems involving addition and subtraction of fractions referring to the same whole and having like denominators, e.g., by using visual fraction models and equations to represent the problem.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NF.3

Interpret a fraction as division of the numerator by the denominator ($a/b = a \div b$). Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem. *For example, interpret $3/4$ as the result of dividing 3 by 4, noting that $3/4$ multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of size $3/4$. If 9 people want to share a 50 pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie?*

Essential Understandings

- The denominator describes what number of equal parts a whole has been divided into.
- The numerator describes how many of the parts are considered.
- The numerator is a multiplier, e.g., $4/5 = 4 \times 1/5$.
- A fraction represents division, so $a \div b = a/b$, e.g., $3 \div 4 = 3/4$.
 - The denominator is the divisor.
 - The numerator is the dividend.
- Equal shares means each sharer gets the same sized part and no parts are discarded.
- The solution to an equal sharing problem can be shown with a fraction representing the relationship of the sharers and the amount.
- When adding or subtracting unlike fractions, all fractions must be represented with equal sized parts of the same whole.

Common Misconceptions

Students may believe that division always results in a smaller number. Using models when dividing with fractions will enable students to see that the results will be larger.

Academic Vocabulary/ Language

- fraction
- numerator
- denominator

Tier 2

- interpret
- solve
- represent

Learning Targets

I can explain how a fraction represents the division of the numerator by the denominator.
I can solve word problems involving division of whole numbers where the quotient is a fraction or mixed number by using visual models or equations.

Classroom Snapshot

Example


Interpret $3/4$ as a result of dividing 3 by 4, noting that $3/4$ multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of $3/4$.

Question

If 9 people want to share a 50-pound sack of rice equally by weight, how many pounds of rice should each person get?

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources



If you divide 5 objects equally among 3 shares, each of the 5 objects should contribute $1/3$ of itself to each share. Thus, each share consists of 5 pieces, each of which is $1/3$ of an object, and so each share is $5 \times 1/3 = 5/3$ of an object.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Write and interpret numerical expressions (5.OA.1-2).

Generate a pattern given a rule (5.OA.3).

Multiply and divide decimals (5.NBT.7).

Represent and interpret data (5.MD.2).

4.NF.5 (Prior Grade Standard)

Express a fraction with denominator 10 as an equivalent fraction with denominator 100, and use this technique to add two fractions with respective denominators 10 and 100.

For example, express $\frac{3}{10}$ as $\frac{30}{100}$, and add $\frac{3}{10} + \frac{4}{100} = \frac{34}{100}$.

In general, students who can generate equivalent fractions can develop strategies for adding fractions with unlike denominators, but addition and subtraction with unlike denominators is not a requirement at this grade.

6.NS.1 (Future Grade Standard)

Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models^G and equations to represent the problem. *For example, create a story context for $(\frac{2}{3}) \div (\frac{3}{4})$ and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that $(\frac{2}{3}) \div (\frac{3}{4}) = \frac{8}{9}$ because $\frac{3}{4}$ of $\frac{8}{9}$ is $\frac{2}{3}$. (In general, $(\frac{a}{b}) \div (\frac{c}{d}) = \frac{ad}{bc}$.) How much chocolate will each person get if 3 people share $\frac{1}{2}$ pound of chocolate equally? How many $\frac{3}{4}$ cup servings are in $\frac{2}{3}$ of a cup of yogurt? How wide is a rectangular strip of land with length $\frac{3}{4}$ mi and area $\frac{1}{2}$ square mi*



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NF.4

Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction.

a. Interpret the product $(a/b) \times q$ as a parts of a partition of q into b equal parts, equivalently, as the result of a sequence of operations $a \times q \div b$. For example, use a visual fraction model to show $(2/3) \times 4 = 8/3$, and create a story context for this equation. Do the same with $(2/3) \times (4/5) = 8/15$. (In general, $(a/b) \times (c/d) = ac/bd$.)

b. Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.

Essential Understandings

- The idea of the numerator as a multiplier can be used when a fraction is being multiplied by a whole number, e.g., Just as $5/8 = 5 \times 1/8$, 5 groups of $3/8$ equals $5 \times 3/8 = (5 \times 3) \times 1/8$ which equals $15/8$.
- Arrays, number lines, fraction strips, or sets can be used to find the solution to multiplying a whole number by a fraction.
- The relationship between multiplication and division is applied to fractions just as it is applied to whole numbers.
- The area of a rectangle with fractional side lengths can be computed.

Common Misconceptions

Students may believe that multiplication always results in a larger number. Using models when multiplying with fractions will enable students to see that the results will be smaller.

Academic Vocabulary/ Language

- fraction
- numerator
- denominator
- product
- partition
- equal parts
- equivalent
- factor
- unit fraction
- area
- side lengths

Tier 2

- apply
- extend
- interpret

Learning Targets

I can multiply fractions.
I can explain how a fraction times a whole number is dividing the whole into parts and taking a certain number of them.
I can find the area of a rectangle with fractional sides by tiling it with *fractional* unit squares.
I can find the area of a rectangle with fractional sides by multiplying the side lengths.


Classroom Snapshot

Examples

$\frac{2}{3} \times 12$ means to take 12 and divide it into thirds ($\frac{1}{3}$ of 12 is 4) and take two of the parts (2×4 is 8). So $\frac{2}{3} \times 12 = 8$


$\frac{2}{3} \times \frac{4}{5}$ means to take $\frac{4}{5}$ and divide it into thirds $\frac{1}{3}$ of $\frac{4}{5}$ is $\frac{4}{15}$ and take two of the parts $2 \times \frac{4}{15}$ is $\frac{8}{15}$. So, $\frac{2}{3} \times \frac{4}{5} = \frac{8}{15}$. Similarly $(\frac{2}{3}) \times (\frac{4}{5}) = (\frac{2 \times 4}{3 \times 5}) = \frac{8}{15}$

What is the area of the rectangle? (The area is $(\frac{91}{4})$ or $22 \frac{3}{4}$)



Questions

Explain how the model shown can be used to solve $4 \times \frac{2}{3}$ and what the answer is.




Compute $\frac{2}{3} \times \frac{4}{5}$.

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Ask questions such as, “What does 2×3 mean?” and “What does $12 \div 3$ mean?” Then, follow with questions for multiplication with fractions, such as, “What does $\frac{3}{4} \times \frac{1}{3}$ mean?” “What does $\frac{3}{4} \times 7$ mean?” (7 sets of $\frac{3}{4}$) and What does $7 \times \frac{3}{4}$ mean?” ($\frac{3}{4}$ of a set of 7)
The meaning of $4 \div \frac{1}{2}$ (how many $\frac{1}{2}$ are in 4) and $\frac{1}{2} \div 4$ (how many groups of 4 are in $\frac{1}{2}$) also should be illustrated with models or drawings like:



Encourage students to use models or drawings to multiply or divide with fractions. Begin with students modeling multiplication and division with whole numbers. Have them explain how they used the model or drawing to arrive at the solution.

Models to consider when multiplying or dividing fractions include, but are not limited to: area models using rectangles or squares, fraction strips/bars and sets of counters.

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

- Write and interpret numerical expressions (5.OA.1-2).
- Generate a pattern given a rule (5.OA.3).
- Multiply and divide decimals (5.NBT.7).
- Represent and interpret data (5.MD.2).

4.NF.4 a,b (Prior Grade Standard)

Apply and extend previous understandings of multiplication to multiply a fraction by a whole number.

- a. Understand a fraction a/b as a multiple of $1/b$. *For example, use a visual fraction model to represent $5/4$ as the product $5 \times (1/4)$, recording the conclusion by the equation $5/4 = 5 \times (1/4)$ or $5/4 = (1/4) + (1/4) + (1/4) + (1/4) + (1/4)$.*
- b. Understand a multiple of a/b as a multiple of $1/b$, and use this understanding to multiply a fraction by a whole number. *For example, use a visual fraction model to express $3 \times (2/5)$ as $6 \times (1/5)$, recognizing this product as $6/5$. (In general, $n \times (a/b) = (n \times a)/b$.)*

6.EE.7 (Future Grade Standard)

Solve real-world and mathematical problems by writing and solving equations of the $x + p = q$ and $px = q$ for cases in which p , q and x are all nonnegative rational numbers.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NF.4

Interpret multiplication as scaling (resizing).

- a. Compare the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication.
- b. Explain why multiplying a given number by a fraction greater than 1 results in a product greater than the given number (recognizing multiplication by whole numbers greater than 1 as a familiar case); explaining why multiplying a given number by a fraction less than 1 results in a product smaller than the given number; and relating the principle of fraction equivalence $a/b = (n \times a)/(n \times b)$ to the effect of multiplying a/b by 1.

Essential Understandings

- Compare the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication.
- Explore and explain the value of the solutions when multiplying the following:
 - a given number by a fraction greater than one; and
 - a given number by a fraction less than one.
- When a number is multiplied by a number greater than one, the product will be greater than the original number, e.g., $3 \times 5/4$ will be greater than 3.
- When a number is multiplied by a fraction less than one the product is smaller than the original number, e.g., $5 \times 3/4$ will be less than 5).
- When two fractions less than one are multiplied, the product is smaller than both of the original fractions.

Common Misconceptions

Students may believe that multiplication always results in a larger number. Using models when multiplying with fractions will enable students to see that the results will be smaller.

Academic Vocabulary/ Language

- fraction
- numerator
- denominator
- product
- partition
- equal parts
- equivalent
- factor
- unit fraction
- scaling
- comparing

Tier 2

- interpret
- explain

Learning Targets

I can explain scaling.
I can explain how to multiply a given number and make it smaller.
I can explain how to multiply a given number and make it larger.
I can generate equivalent fractions by multiplying by various versions of one. ($2/2$, $3/3$, ... n/n)

Classroom Snapshot**Examples**

The effect of multiplying 7 by 3 will make a product larger than 7 or more accurately it will be triple the size of 7.


Multiplying 3×2 will make a product larger than 3.

Multiplying $3 \times 1/2$ will make a product smaller than 3.

Multiplying by one does not change a number so multiplying $3/4$ by $2/2$ or $3/3$ or n/n creates equivalent forms of $3/4$.
2?

Questions

John wants to enlarge the triangle by a factor of 3. What will the sides measure on the new triangle?



Which of the following when multiplied by $2 \frac{1}{2}$ will give a product less than

- A. $2/3$
- B. 1
- C. $2 \frac{1}{2}$
- D. 2
- E. 3

Explain why multiplying $2/3$ by $5/5$ does not change the value of the fraction.

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Use calculators or models to explain what happens to the result of multiplying a whole number by a fraction ($3 \times \frac{1}{2}$, $4 \times \frac{1}{2}$, $5 \times \frac{1}{2}$... and $4 \times \frac{1}{2}$, $4 \times \frac{1}{3}$, $4 \times \frac{1}{4}$, ...) and when multiplying a fraction by a number greater than 1.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Write and interpret numerical expressions (5.OA.1-2).

Generate a pattern given a rule (5.OA.3).

Multiply and divide decimals (5.NBT.7).

Represent and interpret data (5.MD.2)

4.NF.4a,b (Prior Grade Standard)

Apply and extend previous understandings of multiplication to multiply a fraction by a whole number.

a. Understand a fraction a/b as a multiple of $1/b$. *For example, use a visual fraction model to represent $5/4$ as the product $5 \times (1/4)$, recording the conclusion by the equation $5/4 = 5 \times (1/4)$ or $5/4 = (1/4) + (1/4) + (1/4) + (1/4) + (1/4)$.*

b. Understand a multiple of a/b as a multiple of $1/b$, and use this understanding to multiply a fraction by a whole number. *For example, use a visual fraction model to express $3 \times (2/5)$ as $6 \times (1/5)$, recognizing this product as $6/5$. (In general, $n \times (a/b) = (n \times a)/b$.)*

6.EE.7 (Future Grade Standard)

Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all nonnegative rational numbers.



Ohio's New Learning Standards-Clear Learning Targets

Math Grade 5

<div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block;"> <h3 style="margin: 0;">5.NF.6</h3> </div>	<p>Solve real-world problems involving multiplication of fractions and mixed numbers, e.g., by using visual fraction models or equations to represent the problem</p>	<p>Common Misconceptions Students may believe that multiplication always results in a larger number. Using models when multiplying with fractions will enable students to see that the results will be smaller.</p>	<p>Academic Vocabulary/ Language</p> <ul style="list-style-type: none"> ▪ fraction ▪ numerator ▪ denominator ▪ product ▪ quotient ▪ partition ▪ equal parts ▪ equivalent ▪ factor ▪ unit fraction ▪ fraction model
	<p style="text-align: center;">Essential Understanding</p> <ul style="list-style-type: none"> ● Represent and create real-world problems with visual models and a corresponding equation, justifying the solution: <ul style="list-style-type: none"> ○ fractions by whole numbers; ○ fractions by unit fractions; ○ two fractions; ○ fractions and mixed numbers 		<p style="text-align: center;">Tier 2</p> <ul style="list-style-type: none"> ▪ solve ▪ represent
<p>Learning Targets</p>	<p>I can multiply fractions and mixed numbers using fraction models and or equations. I can solve real world problems involving multiplication of fractions and mixed numbers.</p>		

Classroom Snapshot

Example

Use a visual fraction model to represent the equations below:

$$2 \times 1/5 =$$

$$2 \frac{1}{2} \times 2/3 =$$

Question

How many pizzas need to be purchased if each person will eat $1/5$ of a pizza and there are 12 people.

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Present problem situations and have students use models and equations to solve the problem. It is important for students to develop understanding of multiplication and division of fractions through contextual situations.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Write and interpret numerical expressions (5.OA.1-2).

Generate a pattern given a rule (5.OA.3).

Multiply and divide decimals (5.NBT.7).

Represent and interpret data (5.MD.2)

4.NF.4c (Prior Grade Standard)

Apply and extend previous understandings of multiplication to multiply a fraction by a whole number.

c. Solve word problems involving multiplication of a fraction by a whole number, e.g., by using visual fraction models and equations to represent the problem. *For example, if each person at a party will eat $3/8$ of a pound of roast beef, and there will be 5 people at the party, how many pounds of roast beef will be needed? Between what two whole numbers does your answer lie?*

6.EE.7 (Future Grade Standard)

Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all nonnegative rational numbers.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.NF.7

Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions. In general,

students able to multiply fractions can develop strategies to divide fractions, by reasoning about the relationship between multiplication and division, but division of a fraction by a fraction is not a requirement at this grade.

a. Interpret division of a unit fraction by a nonzero whole number, and compute such quotients.

For example, create a story context for $(1/3) \div 4$, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $(1/3) \div 4 = 1/12$ because $(1/12) \times 4 = 1/3$.

b. Interpret division of a whole number by a unit fraction, and compute such quotients.

For example, create a story context for $4 \div (1/5)$, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $4 \div (1/5) = 20$ because $20 \times (1/5) = 4$.

c. Solve real world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem.

For example, how much chocolate will each person get if 3 people share $1/2$ lb of chocolate equally? How many $1/3$ -cup servings are in 2 cups of raisins?

Essential understandings

- A whole number can be divided by a non-zero fraction.
- A fraction can be divided by a non-zero whole number.

Common Misconceptions

Students may believe that division always results in a smaller number. Using models when dividing with fractions will enable students to see that the results will be larger. Students may believe that multiplication always results in a larger number. Using models when multiplying with fractions will enable students to see that the results will be smaller.

Academic Vocabulary/

Language

- fraction
- numerator
- denominator
- quotient
- partition
- equal parts
- equivalent
- factor
- unit fraction

Tier 2

- apply
- extend

Learning Targets

- I can explain the meaning and process of dividing a unit fraction by a non-zero whole number.
- I can explain the meaning and process of dividing a whole number by a unit fraction.
- I can solve real world problems involving division of unit fractions by non-zero whole numbers.
- I can solve real world problems involving division of whole numbers by unit fractions.

Classroom Snapshot

Examples

Create a story context for $(1/3) \div 4$, and use a visual fraction model to show the quotient.

Use the relationship between multiplication and division to explain that $1/3 \div 4 = 1/12$ because $1/12 \times 4 = 1/3$.

Write a real-world problem where the solution involves taking $1/3$ and dividing it by 4 and then state the solution.

Create a story context for $4 \div 1/5$, and use a visual fraction model to show the quotient.

Write a real-world problem where the solution involves taking 4 and dividing it by $1/5$ and then state the solution.

Adapted from Darke County Schools

Questions

How much chocolate will each person get if 3 people share $1/2$ lb of chocolate equally.

How much pizza will each student get if 5 of them share half a pizza? Draw a model to help explain the solution.

How many $1/3$ - cup servings are in 2 cups of raisins?

The recipe calls for $1/3$ cup of flour. If Bob has 2 cups of flour all together, how many times can he repeat the recipe?

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

5th grade students divide whole numbers by fractions and divide fractions by whole numbers. Although students reason about the solution of multiplication and division of whole numbers and fractions, there is no expectation that students divide fractions by fractions at this grade. Students continue to use models paired with expressions and equations to represent problem situations.

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015 (Adjusted to reflect standards revisions.)

Connections Across Standards

Write and interpret numerical expressions (5.OA.1-2).

Generate a pattern given a rule (5.OA.3).

Multiply and divide decimals (5.NBT.7).

Represent and interpret data (5.MD.2).

4.NF.4 (Prior Grade Standard)

Apply and extend previous understandings of multiplication to multiply a fraction by a whole number.

a. Understand a fraction a/b as a multiple of $1/b$. *For example, use a visual fraction model to represent $5/4$ as the product $5 \times (1/4)$, recording the conclusion by the equation $5/4 = 5 \times (1/4)$ or $5/4 = (1/4) + (1/4) + (1/4) + (1/4) + (1/4)$.*

b. Understand a multiple of a/b as a multiple of $1/b$, and use this understanding to multiply a fraction by a whole number. *For example, use a visual fraction model to express $3 \times (2/5)$ as $6 \times (1/5)$, recognizing this product as $6/5$. (In general, $n \times (a/b) = (n \times a)/b$.)*

c. Solve word problems involving multiplication of a fraction by a whole number, e.g., by using visual fraction models and equations to represent the problem. *For example, if each person at a party will eat $3/8$ of a pound of roast beef, and there will be 5 people at the party, how many pounds of roast beef will be needed? Between what two whole numbers does your answer lie?*

6.EE.7 (Future Grade Standard)

Solve real world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all nonnegative rational numbers



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.MD.1

Know relative sizes of these U.S. customary measurement units: pounds, ounces, miles, yards, feet, inches, gallons, quarts, pints, cups, fluid ounces, hours, minutes, and

seconds. Convert between pounds and ounces; miles and feet; yards, feet, and inches; gallons, quarts, pints, cups, and fluid ounces; hours, minutes, and seconds in solving multistep, real-world problems.

Essential Understandings

- Two measurement systems (U.S. customary and metric) are currently used in the United States.
- Relationships between units vary depending on the measurement system.
- Conversions in the U.S. customary system vary depending upon what is being measured.
- Conversions in the metric system are based on powers of ten.
- When converting from a larger unit to a smaller unit, there will be more iterations of the smaller unit. For example, when converting from yards to feet, there will always be a greater number of feet than yards.
- When converting from a smaller unit to a larger unit, there will be less iterations of the larger unit. For example, when converting from cups to gallons, there will always be fewer gallons than cups.
- Measurements can be converted to solve multi-step real-world problems.

Common Misconceptions

When solving problems that require renaming units, students need to pay attention to the unit of measurement which dictates the renaming and the number to use. For example, when subtracting 5 inches from 2 feet. Students may simply subtract 2 from 5 and say the answer is 3. It is important to remind students that we need to have the same units when adding or subtracting. Therefore, 2 ft - 5 in would be the same as 24 in - 5 in.

Academic Vocabulary/ Language

- conversion
- convert
- measurement
- metric
- customary

U.S. customary units

- pounds
- ounces
- miles
- yards
- feet
- inches
- gallons
- quarts
- pints
- cups
- fluid ounces
- hours
- minutes
- seconds

Learning Targets

I can explain how the units used in measurement relate and change depending on their size.
I can change to different size units within a measurement system.
I can solve multi-step, real world problems involving measurement.
I can convert between pounds and ounces; miles and feet; yards, feet, and inches; gallons, quarts, pints, cups, and fluid ounces; hours, minutes, and seconds in solving multistep, real-world problems.

Classroom Snapshot**Examples**

Convert 3 yards to inches.
Convert 40 pints to gallons.

Question

John has a board measuring $5 \frac{1}{2}$ feet long. How many smaller boards each with a length of 10 inches can he make from this board?

- Explore the U.S. customary system using appropriate tools (rulers, yardsticks, scales, measuring containers, clocks, etc.)
- Explain relative sizes of these U.S. customary units:
 - weight—pounds, ounces;
 - length—miles, yards, feet, inches;
 - capacity—gallons, quarts, pints, cups, fluid ounces; and
 - time—hours, minutes, seconds. •
- Explore, record, and look for a pattern when doing conversions in a two column table.
- Convert between units using these conversions:
 - 1 pound = 16 ounces,
 - 1 mile = 5,280 feet,
 - 1 yard = 3 feet; 1 foot = 12 inches; 1 yard = 36 inches,
 - 1 gallon = 4 quarts or 8 pints or 16 cups or 128 fluid ounces,
 - 1 quart = 2 pints or 4 cups or 32 fluid ounces,
 - 1 pint = 2 cups or 16 fluid ounces, ○ 1 cup = 8 fluid ounces, and
 - 1 hour = 60 minutes; 1 minute = 60 seconds; 1 hour = 3,600 seconds.
- Solve multi-step, real-world problems involving conversions using all four operations.

Note: See the Ohio State Test Grade 5 Reference Sheet for conversions that will be given.

Adapted from Darke County Schools and Ohio Mathematics Model Curriculum 2018 Grade 5

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Students should gain ease in converting units of measures in equivalent forms within the same system. To convert from one unit to another unit, the relationship between the units must be known. In order for students to have a better understanding of the relationships between units, they need to use measuring tools in class. The number of units must relate to the size of the unit. For example, students have discovered that there are 12 inches in 1 foot and 3 feet in 1 yard. This understanding is needed to convert inches to yards. Using 12-inch rulers and yardsticks, students can see that three of the 12-inch rulers are equivalent to one yardstick (3×12 inches = 36 inches; 36 inches = 1 yard). Using this knowledge, students can decide whether to multiply or divide when making conversions.

Once students have an understanding of the relationships between units and how to do conversions, they are ready to solve multi-step problems that require conversions within the same system. Allow students to discuss methods used in solving the problems. Begin with problems that allow for renaming the units to represent the solution before using problems that require renaming to find the solution.

Career Connection

Students will use yardsticks and rulers to make conversions among inches, feet, and yards for measurement. Provide students with real-work examples of how this skill is applied (e.g., football field as an example of how yards are used; doorway height for feet; inseam of pants for inches) and discuss related careers (e.g., agriculture, design, construction).

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Add, subtract, multiply, and divide decimals to hundredths (5.NBT.7).
Perform operations with fractions (5.NF.1-7).
Generate numerical patterns given rules (5.OA.3).

4.MD.1 (Prior Grade Standard)

Know relative sizes of the metric measurement units within one system of units. Metric units include kilometer, meter, centimeter, and millimeter; kilogram and gram; and liter and milliliter. Express a larger measurement unit in terms of a smaller unit. Record measurement conversions in a two-column table. *For example, express the length of a 4-meter rope in centimeters. Because 1 meter is 100 times as long as a 1 centimeter, a two-column table of meters and centimeters includes the number pairs 1 and 100, 2 and 200, 3 and 300,...*

6.SP.3 (Future Grade Standard)

Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

<div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block; margin-bottom: 10px;"> 5.MD.2 </div> <p>Display and interpret data in graphs (picture graphs, bar graphs, and line plots^G) to solve problems using numbers and operations for this grade, e.g., including U.S. customary units in fractions $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$, or decimals</p>		<p>Common Misconceptions Some students may not know what measurement to use if the object measures between $\frac{1}{8}$ and $\frac{1}{4}$ inch.</p>	<p>Academic Vocabulary/ Language</p> <ul style="list-style-type: none"> ▪ line plot ▪ picture graph ▪ bar graph ▪ length ▪ mass ▪ liquid volume ▪ fair share ▪ U.S. customary units <p>Tier 2</p> <ul style="list-style-type: none"> ▪ solve
	<p style="text-align: center;">Essential Understandings</p> <ul style="list-style-type: none"> • Picture graphs, bar graphs, and line plots are used to display data. • The key of a picture graph tells how many items each picture or symbol represents. • The scale of a bar graph varies depending on the data set. • The scale of a line plot can be whole numbers, halves, quarters, eighths, sixteenths, tenths, or hundredths. • Symbols used in picture graphs and line plots should be consistently spaced and sized. • Information presented in a graph can be used to solve problems using metric or U.S. customary measurements. 		
<p>Learning Targets</p>	<p>I can display data with a line plot, picture graph and bar graph. I can create a line plot, picture graph and bar graph with fractional scales and solve problems with this data. I can use grade level fraction operations to solve problems involving information from a line plot, picture graph or bar graph.</p>		

Classroom Snapshot

Examples

Measure the head circumference of all the students to the nearest $\frac{1}{4}$ inch and display the results on a line plot.

Create a line plot from the following data:

$\frac{1}{2}$; $1\frac{1}{2}$; $\frac{3}{4}$; 1; $\frac{1}{2}$; $1\frac{1}{4}$; $\frac{3}{4}$; 1; $\frac{3}{4}$; $\frac{3}{4}$; 1; $\frac{3}{4}$; $1\frac{1}{4}$

Adapted from Darke County Schools

Questions

Given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally.

Three beakers hold $3\frac{1}{4}$ ml, $2\frac{1}{4}$ ml and $1\frac{1}{2}$ ml. How much would each beaker contain if we distributed the liquid equally in each beaker.

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Using a line plot to solve problems involving operations with unit fractions now includes multiplication and division. Revisit using a number line to solve multiplication and division problems with whole numbers. In addition to knowing how to use a number line to solve problems, students also need to know which operation to use to solve problems.

Use the tables for common addition and subtraction, and multiplication and division situations ([Table 1](#) and [Table 2 on pages 95 & 96](#)) as a guide to the types of problems students need to solve without specifying the type of problem. Allow students to share methods used to solve the problems. Also have students create problems to show their understanding of the meaning of each operation.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

TABLE 2. COMMON MULTIPLICATION AND DIVISION SITUATIONS¹

	UNKNOWN PRODUCT	GROUP SIZE UNKNOWN (“HOW MANY IN EACH GROUP?” DIVISION)	NUMBER OF GROUPS UNKNOWN (“HOW MANY GROUPS?” DIVISION)
	$3 \times 6 = ?$	$3 \times ? = 18$, AND $18 \div 3 = ?$	$? \times 6 = 18$, AND $18 \div 6 = ?$
EQUAL GROUPS	<p>There are 3 bags with 6 plums in each bag. How many plums are there in all?</p> <p>Measurement example. You need 3 lengths of string, each 6 inches long. How much string will you need altogether?</p>	<p>If 18 plums are shared equally into 3 bags, then how many plums will be in each bag?</p> <p>Measurement example. You have 18 inches of string, which you will cut into 3 equal pieces. How long will each piece of string be?</p>	<p>If 18 plums are to be packed 6 to a bag, then how many bags are needed?</p> <p>Measurement example. You have 18 inches of string, which you will cut into pieces that are 6 inches long. How many pieces of string will you have?</p>
ARRAYS², AREA³	<p>There are 3 rows of apples with 6 apples in each row. How many apples are there?</p> <p>Area example. What is the area of a 3 cm by 6 cm rectangle?</p>	<p>If 18 apples are arranged into 3 equal rows, how many apples will be in each row?</p> <p>Area example. A rectangle has area 18 square centimeters. If one side is 3 cm long, how long is a side next to it?</p>	<p>If 18 apples are arranged into equal rows of 6 apples, how many rows will there be?</p> <p>Area example. A rectangle has area 18 square centimeters. If one side is 6 cm long, how long is a side next to it?</p>
COMPARE	<p>A blue hat costs \$6. A red hat costs 3 times as much as the blue hat. How much does the red hat cost?</p> <p>Measurement example. A rubber band is 6 cm long. How long will the rubber band be when it is stretched to be 3 times as long?</p>	<p>A red hat costs \$18 and that is 3 times as much as a blue hat costs. How much does a blue hat cost?</p> <p>Measurement example. A rubber band is stretched to be 18 cm long and that is 3 times as long as it was at first. How long was the rubber band at first?</p>	<p>A red hat costs \$18 and a blue hat costs \$6. How many times as much does the red hat cost as the blue hat?</p> <p>Measurement example. A rubber band was 6 cm long at first. Now it is stretched to be 18 cm long. How many times as long is the rubber band now as it was at first?</p>
GENERAL	$a \times b = ?$	$a \times ? = p$, and $p \div a = ?$	$? \times b = p$, and $p \div b = ?$

Connections Across Standards

Apply fraction operations and ordering (5.NF.1-7).
Solve real-world problems with decimal operations (5.NBT.7).

4.MD.1 (Prior Grade Standard)

Know relative sizes of the metric measurement units within one system of units. Metric units include kilometer, meter, centimeter, and millimeter; kilogram and gram; and liter and milliliter. Express a larger measurement unit in terms of a smaller unit. Record measurement conversions in a two-column table. *For example, express the length of a 4-meter rope in centimeters. Because 1 meter is 100 times as long as a 1*

6.SP.3 (Future Grade Standard)

Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.

centimeter, a two-column table of meters and centimeters includes the number pairs 1 and 100, 2 and 200, 3 and 300,...



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.MD.3

Recognize volume as an attribute of solid figures and understand concepts of volume measurement.

- a. A cube with side length 1 unit, called a “unit cube,” is said to have “one cubic unit” of volume, and can be used to measure volume.
- b. A solid figure which can be packed without gaps or overlaps using n unit cubes is said to have a volume of n cubic units.

Essential Understandings

- Volume is an attribute of a three-dimensional solid figure that is measured in cubic units.
- Volume can be measured (or determined) by finding the total number of cubic units required to fill the space without gaps or overlaps.

Common Misconceptions

When students hear the word volume, they often think of sound. Students will need real world examples of mathematical volume as well as hands-on experiences in order to fully grasp this concept.

Academic Vocabulary/

Language

- measurement
- attribute
- volume
- solid figure
- unit cube
- gap
- overlap
- cubic units

Tier 2

- recognize

Learning Targets

- I can explain the concept of volume and how it is measured.
- I can solve problems involving volume.
- I can explain that volume is an attribute of solid figures and not plane figures.
- I can explain that volume is measured in "unit cubes" - cubes of one unit on each side.
- I can explain that the volume of a solid figure is measured in the number of "cubes" it contains.

Classroom Snapshot

Examples

The “squares” used to measure area are different than the “cubes” needed to measure volume.

Solid figures need a solid unit, a cube, to measure volume.

Have students complain the concept of cubes filling a space and possibly comparing that to an area where squares fill a plane.

Adapted by Darke County Schools

Questions

What is the term used to find the space contained inside a container?

Which of the following might be the volume of a box?

- A. 8 in
- B. 8 square in
- C. 8 cubic in
- D. 8 triangle in

How many cubes measuring 1 cm on each side will fit into a box measuring 3 cm by 8 cm by 12 cm?

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Volume refers to the amount of space that an object takes up and is measured in cubic units such as cubic inches or cubic centimeters.

Students need to experience finding the volume of rectangular prisms by counting unit cubes, in metric and standard units of measure, before the formula is presented.

Provide multiple opportunities for students to develop the formula for the volume of a rectangular prism with activities similar to the one described below.

Give students one block (a 1- or 2- cubic centimeter or cubic-inch cube), a ruler with the appropriate measure based on the type of cube, and a small rectangular box. Ask students to determine the number of cubes needed to fill the box.

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

There are no direct connections to these standards within Grade 5. The ideas developed in these standards will be used in later grades

4.NBT.5 (Prior Grade Standard)

Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models

6.G.4 (Future Grade Standard)

Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

<p>5.MD.4</p>	<p>Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.</p>	<p>Common Misconceptions By stacking geometric solids with cubic units in layers, students can begin understanding the concept of how addition plays a part in finding volume. This will lead to an understanding of the formula for the volume of a right rectangular prism, $b \times h$, where b is the area of the base.</p>	<p>Academic Vocabulary/ Language</p> <ul style="list-style-type: none"> ▪ volume ▪ solid figure ▪ cubic units ▪ improvised units ▪ multiplication ▪ addition ▪ edge lengths ▪ height ▪ area of base <p>Tier 2</p> <ul style="list-style-type: none"> ▪ measure ▪ count
<p>Essential Understanding</p> <ul style="list-style-type: none"> • The process of finding volume shifts from building with cubes and counting to the multiplication of side lengths. 			
<p>Learning Targets</p>	<p>I can explain the concept of volume and how it is measured. I can solve problems involving volume. I can measure volumes by counting unit cubes of various sizes.</p>		

Classroom Snapshot

Example

Fill a rectangular prism with various sized cubes and have students count them to estimate the volume.

Question

Juan found he could put exactly 40 one inch cubes in a box.

What is the volume of the box?

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Have students share their strategies with the class using words, drawings or numbers. Allow them to confirm the volume of the box by filling the box with cubes of the same size.

By stacking geometric solids with cubic units in layers, students can begin understanding the concept of how addition plays a part in finding volume. This will lead to an understanding of the formula for the volume of a right rectangular prism, $b \times h$, where b is the area of the base. A right rectangular prism has three pairs of parallel faces that are all rectangles.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

There are no direct connections to these standards within Grade 5. The ideas developed in these standards will be used in later grades

4.NBT.5 (Prior Grade Standard)

Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

6.G.4 (Future Grade Standard)

Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.MD.5

Relate volume to the operations of multiplication and addition and solve real-world and mathematical problems involving volume.

- Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the Associative Property of Multiplication.
- Apply the formulas $V = \ell \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real-world and mathematical problems.
- Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real-world problems.

Essential Understandings

- The area of a base of a rectangular prism is found by multiplying the length by width ($b = \ell \times w$).
- In a right rectangular prism, any two parallel faces can be the Bases.
- The volume of a rectangular prism can be found by multiplying the length by width by height ($\ell \times w \times h$) or by multiplying the area of the base by height ($b \times h$).
- A figure composed of rectangular prisms may be decomposed into two non overlapping rectangular prisms whose volumes may be added to find the volume of the figure.

Common Misconceptions

When solving volume of composite shapes, students often struggle to properly visualize the shape as two separate rectangular prisms. Provide several hands on examples of composite shapes. Work with students to model the composite shape as two separate rectangular prisms prior to solving for volume.

Academic Vocabulary/Language

- volume
- solid figure
- cubic units
- multiplication
- addition
- edge lengths
- height
- area of base
- right rectangular prism
- Associative Property of Multiplication

Tier 2

- relate
- apply
- recognize

Learning Targets

I can find the volume of a right rectangular prism with whole-number sides by packing it with unit cubes.
I can find the volume of a right rectangular prism with whole-number sides by multiplying (length) \times (width) \times (height).
I can solve real world volume problems by using the conventional formulas of $V = l \cdot w \cdot h$ and $V = B \cdot h$.
I can find the volume of a solid figure composed of right rectangular prisms by adding the volumes of each rectangular prism.

Classroom Snapshot

Examples

Students should experience filling a rectangular prism with cubes, counting these cubes and relating this number to the volume of the prism.

Students should discover the efficient way of counting the cubes in a rectangular prism by generalizing the shortcut of multiplying the three dimensions.

Students can explain and apply the conventional formulas to find volumes of rectangular prisms in a real world problem setting.

Have students create a new shape by putting 2 or more “boxes” together and then find the total volume.


Questions

Jorge found that he could put exactly 40 one inch cubes in a box. What is the volume of the box?

What is the volume of the rectangular prism that measures 23 cm by 10 cm by 18 cm?

Eliza found that she could put exactly 14 one centimeter cubes to cover the bottom of a box. If the box is 7 cm high, how many one centimeter cubes will the box hold in all?

Find the total volume of the two boxes below.



Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Have students build a prism in layers. Then, have students determine the number of cubes in the bottom layer and share their strategies. Students should use multiplication based on their knowledge of arrays and its use in multiplying two whole numbers.

Ask what strategies can be used to determine the volume of the prism based on the number of cubes in the bottom layer. Expect responses such as “adding the same number of cubes in each layer as were on the bottom layer” or multiply the number of cubes in one layer times the number of layers.

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

There are no direct connections to these standards within Grade 5. The ideas developed in these standards will be used in later grades

4.NBT.5 (Prior Grade Standard)

Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

6.G.4 (Future Grade Standard)

Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.G.1

Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line

and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond, e.g., x-axis and x-coordinate, y-axis and y-coordinate

Essentials Understandings

- Coordinate graphs show relationships between numbers on a coordinate grid.
- The coordinate system is created from a horizontal number line (x-axis) and a vertical number line (y-axis) with the intersection of the lines at zero (the origin).
- A given point can be located in the plane by using an ordered pair of numbers (x, y).
- The origin of the coordinate plane is represented by the ordered pair (0, 0).
- The first number in an ordered pair, the x-coordinate or x, indicates how far to travel from the origin in the horizontal direction.
- The second number in an ordered pair, the y-coordinate or y, indicates how far to travel in the vertical direction.
- Distance is found by counting intervals rather than counting the grid marks.

Common Misconceptions

When playing games with coordinates or looking at maps, students may think the order in plotting a coordinate point is not important. Have students plot points so that the position of the coordinates is switched. For example, have students plot (3, 4) and (4, 3) and discuss the order used to plot the points. Have students create directions for others to follow so that they become aware of the importance of direction and distance.

Academic Vocabulary/ Language

- coordinate system
- coordinate plane
- first quadrant
- point
- lines
- axis
- x-axis
- y-axis
- origin
- ordered pairs
- x-coordinate
- y-coordinate
- vertical
- horizontal

Learning Targets	<p>I can graph points on a coordinate plane.</p> <p>I can create a coordinate plane and label all the parts.</p> <p>I can explain how each number in an ordered pair affects the direction and distance of the point.</p> <p>I can create, plot, and label ordered pairs of numbers on an coordinate plane.</p>
-------------------------	---

Classroom Snapshot

Examples

Have the student label and explain the parts of a coordinate plane.


Explain how the first number effects the direction (right/left) and distance from the origin. Repeat for second number of ordered pair.

The student should be able to plot an ordered pair AND when pointing to a location, state the ordered pair that names it.


Adapted from Darke County Schools

Questions

Label the axis and the center of the coordinate plane.



Starting at the origin, explain the direction and distance you would move to plot the point (4,7).



Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Students need to understand the underlying structure of the coordinate system and see how axes make it possible to locate points anywhere on a coordinate plane. This is the first time students are working with coordinate planes, and only in the first quadrant. It is important that students create the coordinate grid themselves. This can be related to two number lines and reliance on previous experiences with moving along a number line. Multiple experiences with plotting points are needed. Provide points plotted on a grid and have students name and write the ordered pair. Have students describe how to get to the location. Encourage students to articulate directions as they plot points.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Use patterns to create ordered pairs, and graph them in the first quadrant of a coordinate plane (5.OA.3).

(Prior Grade Standard)

N/A

(Future Grade Standard)

N/A



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

<div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block; margin-bottom: 10px;"> <h3 style="margin: 0;">5.G.2</h3> </div> <p>Represent real-world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.</p>	<p>Common Misconceptions When playing games with coordinates or looking at maps, students may think the order in plotting a coordinate point is not important. Have students plot points so that the position of the coordinates is switched. For example, have students plot (3, 4) and (4, 3) and discuss the order used to plot the points. Have students create directions for others to follow so that they become aware of the importance of direction and distance.</p>	<p>Academic Vocabulary/ Language</p> <ul style="list-style-type: none"> ▪ coordinate system ▪ coordinate plane ▪ first quadrant ▪ point ▪ lines ▪ axis ▪ x-axis ▪ y-axis ▪ origin ▪ ordered pairs ▪ x-coordinate ▪ y-coordinate <p>Tier 2</p> <ul style="list-style-type: none"> ▪ represent
<p style="text-align: center;">Essential Understandings</p> <ul style="list-style-type: none"> ● Real-world situations can be represented by graphing points in the coordinate plane. ● Coordinate values can be interpreted in the context of real-world situations. 		
<p>Learning Targets</p>	<p>I can graph on the coordinate plane and use this information to solve real-world problems. I can graph points on a coordinate plane to solve real-world problems. I can create a coordinate plane and label all the parts. I can graph and interpret coordinate pairs of numbers and relate them to real world math problems.</p>	

Classroom Snapshot

Example

Students should be able to play games and activities like “Battle Ship”.

Question

Tommy’s house can be located on a coordinate plane.
Label his school which is 5 blocks east and 8 blocks north.

Adapted from Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Multiple experiences with plotting points are needed. Provide points plotted on a grid and have students name and write the ordered pair. Have students describe how to get to the location. Encourage students to articulate directions as they plot points.

Present real-world and mathematical problems and have students graph points in the first quadrant of the coordinate plane. Gathering and graphing data is a valuable experience for students. It helps them to develop an understanding of coordinates and what the overall graph represents. Students also need to analyze the graph by interpreting the coordinate values in the context of the situation.

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

Use patterns to create ordered pairs, and graph them in the first quadrant of a coordinate plane (5.OA.3).

4. (Prior Grade Standard)

N/A

6. (Future Grade Standard)

N/A



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

<div style="border: 1px solid black; border-radius: 15px; padding: 10px; display: inline-block; font-size: 24pt; font-weight: bold;">5.G.3</div>	<p>Identify and describe commonalities and differences between types of triangles based on angle measures (equiangular, right, acute, and obtuse triangles) and side lengths (isosceles, equilateral, and scalene triangles).</p>	<p>Common Misconceptions Students think that when describing geometric shapes and placing them in subcategories, the last category is the only classification that can be used.</p>	<p>Academic Vocabulary/ Language</p> <ul style="list-style-type: none"> ▪ attribute ▪ category ▪ subcategory ▪ hierarchy ▪ properties ▪ two dimensional ▪ equiangular triangle ▪ right triangle ▪ acute triangle ▪ obtuse triangles ▪ isosceles triangle ▪ equilateral triangle ▪ scalene triangles
	<p style="text-align: center;">Essential Understandings</p> <ul style="list-style-type: none"> • Triangles can be named and classified by angle measures (equiangular, acute, right, and obtuse) and/or side lengths (scalene, isosceles, and equilateral). • Triangles can be compared. 		<p style="text-align: center;">Tier 2</p> <ul style="list-style-type: none"> ▪ understand
<p>Learning Targets</p>	<p>I can explain the attributes of triangles. I can use properties of triangles to classify them into categories.</p>		

Classroom Snapshot

Examples

Identify and describe triangles by the following

- Side lengths (isosceles, equilateral, scalene)
- Angle measures (obtuse, acute right, equiangular)
- Sort and compare types of triangles.

Questions

Draw and describe an isosceles triangle.

Provide students with examples of triangles and ask them to classify each based on its sides and angles.

Adapted from Ohio Mathematics Model Curriculum 2018 Grade 5

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

In Grade 5, students explore the commonalities and differences of triangles and quadrilaterals. They classify triangles by angle measures (equiangular, right, acute, and obtuse triangles) and side lengths (isosceles, equilateral, and scalene triangles).

Details learned in earlier grades need to be used in the descriptions of the attributes of shapes. The more ways that students can classify and discriminate shapes, the better they can understand them. The shapes are not limited to quadrilaterals.

Ohio's New Learning Standards Mathematics 5th Grade Model Curriculum 2015 (Adjusted to reflect standards revisions.)

Connections Across Standards

There are no direct connections to these standards within Grade 5. The ideas developed in these standards will be used in later grades, including grade 7 and high school.

4.G.2 (Prior Grade Standard)

Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size.

6.G.4 (Future Grade Standard)

Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.



Ohio's Learning Standards-Clear Learning Targets

Math Grade 5

5.G.4

Identify and describe commonalities and differences between types of quadrilaterals based on angle measures, side lengths, and the presence or absence of parallel and perpendicular lines, e.g., squares, rectangles, parallelograms, trapezoids^G, and rhombuses.

Essential Understandings

- Quadrilaterals can be named and classified by angle measures, side lengths, or the presence or absence of parallel and perpendicular lines.
- Quadrilaterals can be compared.

Common Misconceptions

Students think that when describing geometric shapes and placing them in subcategories, the last category is the only classification that can be used.

Academic Vocabulary/ Language

- attribute
- category
- subcategory
- hierarchy
- properties
- two dimensional
- quadrilateral
- parallel lines
- perpendicular lines
- squares
- rectangles
- parallelograms
- trapezoid
- rhombus

Tier 2

- classify

Learning Targets

- I can explain the attributes of a category of shapes.
- I can use properties of shapes to classify them into categories.
- I can explain the hierarchy of a class of two-dimensional figures based on properties.

Classroom Snapshot

Example

Quadrilaterals → Parallelograms → Rectangles → Squares

Question

Name the three groups of quadrilaterals that a square belongs to.

Adapted by Darke County Schools

Ohio Department of Education Model Curriculum Instructional Strategies and Resources

Students can use graphic organizers such as flow charts or T-charts to compare and contrast the attributes of geometric figures. Have students create a T-chart with a shape on each side. Have them list attributes of the shapes, such as number of side, number of angles, types of lines, etc. they need to determine what's alike or different about the two shapes to get a larger classification for the shapes.

Pose questions such as, “Why is a square always a rectangle?” and “Why is a rectangle not always a square?”

Ohio’s New Learning Standards Mathematics 5th Grade Model Curriculum 2015

Connections Across Standards

There are no direct connections to these standards within Grade 5. The ideas developed in these standards will be used in later grades, including grade 7 and high school.

4.G.2 (Prior Grade Standard)

Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size.

6.G.4 (Future Grade Standard)

Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.